

HIV

Proponent / Phone No. MEDDAC

Point of Contact: _____

Unit Inspected: _____

Date of Inspection: _____

Unit Representative: _____

Unit Phone No.: _____

Inspector's Name: _____

Inspector's Phone No.: _____

Unit Overall Rating: T P U

REFERENCES: a. AR 600-110, Jul 05, b. AR 40-5, Jul 2005.

STANDARDS: "T"= 90% success rate of evaluated tasks with no failed critical tasks. "P"= 70% success rate of evaluated tasks with no failed critical tasks. "U"= less than 70% success rate of evaluated tasks or one failed critical task.

INSPECTION CRITERIA:	LEVEL	GO	NO GO	REMARKS
1. Does the BDE have the most current publications?	CG/CMDT			
2. Have the BN's within the BDE been inspected using the BDE level checklist during the last 12 months?	CG/CMDT			
2. CRITICAL: Does the BDE use MEDPROS as a monitoring program for HIV testing? (AR 600-110, Para 2-7)	CG/CMDT			
3. CRITICAL: Have 90% (FORSCOM) or 80% (TRADOC) of personnel in the BDE received HIV testing within the past 24 months? (AR 600-110, Para 2-7)	CG/CMDT			
4. CRITICAL: Have 90% (FORSCOM) or 80% (TRADOC) of BDE personnel attended annual HIV training? (AR 600-110, Para 8-5, AR 40-5, 2-28 & 2-29)	CG/CMDT			
REMARKS:				